

# BRUKSANVISNING INSTRUCTION MANUAL LED STRIP 5M COB TW


# namron

8,2W/m IP20 24V




Spenning:	24V	Voltage:	24V
Effekt:	8,2W/m	Power:	8.2W/m
Antall LED pr meter:	608	Total LED per meter:	608
Lysstyrke:	370lm/m	Lumen:	370lm/m
Tetthetsgrad:	IP20	IP:	IP20
CRI:	90	CRI:	90
Fargetemperatur:	2700K-6000K	Color temperature:	2700K-6000K
Lysspredning:	140°	Beam angle:	140°
Kuttlengde:	26,32mm	Cut length:	26.32mm
Maks. lengde:	7m	Max. length:	7m
Dimbar:	Ja	Dimmable:	Ja
Levetid:	36.000t L70	Lifetime:	36,000t L70

## LED Strip 24V 5m / LED Strip 24V 5m



## Tilbehør inkludert i pakken. / Accessory include in the package.

2stk Ekstra hurtigtilkoblinger med 30cm kabel /  
2pcs Strip to wire connector with 30cm cable



2stk Hurtigskjøter / 2pcs Fast connector



2stk Hurtigskjøter med 15cm kabel /  
2pcs Strip to strip connector with 15cm cable



\*Anbefalt LED Strip / Recommended LED strip

### 3234685/3220204/3220205

**\*3234680/3234681/3234682/3234583/3222240/  
3222241/3222242/3220225/3220226**


Aluminiumsprofil med opal avdekning utenpåliggende 2m 2114 / Aluminum profile with opal cover surface mounted 2m 2114  
Inkludert 2stk endelokk & 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



### 3234686/3220206/3220207

**\*3234680/3234682/3222240/  
3222241/3220225/3220226**

Aluminiumsprofil med opal avdekning utenpåliggende 2m 1612 / Aluminum profile with opal cover surface mounted 2m 1612  
Inkludert 2stk endelokk & 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



### 3234687/3220208/3220209

**\*3234680/3234681/3234682/3222240/  
3222241/3222242/3220225/3220226**

Aluminiumsprofil med opal avdekning utenpåliggende 2m 1714 / Aluminum profile with opal cover surface mounted 2m 1714  
Inkludert 2stk endelokk & 4 stk plast fester / Include 2pcs end cap & 4pcs plastic clip



### 3234688

**\*3234680/3222240/3222241/  
3220225/3220226**

Aluminiumsprofil med opal avdekning hjørne 2m 1919 / Aluminum profile with opal cover corner 2m 1919  
Inkludert 2stk endelokk / 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



### 3220210

**\*3234680/3222240/3222241/3220225/3220226**

Aluminiumsprofil hjørne 2m 1616 / Aluminium profile corner 2m 1616  
Inkludert 2stk endelokk & 2stk plast fester / Include 2pcs end cap / 2pcs plastic clip



### 3234689/3220211

**\*3234680/3234681/3234682/3222240/  
3222241/3222242/3220225/3220226**

Aluminiumsprofil med opal avdekning innfelt 2m 2811 / Aluminum profile with opal cover recessed 2m 2811  
Inkludert 2stk endelokk / Include 2pcs end cap




\*Anbefalt LED Strip / Recommended LED strip

**3234698/3220212**

**\*3234680/3222240/3220225/3220226**

Aluminiumsprofil for innsparkling 2m 5712/Aluminum profile recessed for plastering 2m 5712

Inkludert 2stk endelokk / Include 2pcs end cap



**3220213**

**\*3234680/3234681/3234682/3222240/**

**3222241/3222242/3220225/3220226**

Aluminiumsprofil vegg 2m 4217/ Aluminium profile wall 2m 4217

Inkludert 2stk endelokk/ Include 2pcs end cap



\*Anbefalt LED Strip / Recommended LED strip

**6603260**

**\*3222240/3222241/3234680/3234681/  
3220225**

Driver dimbar LED strip 24V 100W IP20 /  
Dimmable driver for LED strip 24V 100W IP20



**6603261**

**\*3222242/3234682/3234683/3234684/  
3220225**

Driver dimbar LED strip 24V 100W IP66 /  
Dimmable driver for LED strip 24V 100W IP66



**6603262**

**\*3220226**

Driver TW dimbar LED strip 24V 100W IP20/  
TW dimmable driver for LED strip 24V 100W IP20



**6603265**

**\*3234681 / 3234683**

RGBW controller 480W 24V / RGBW controller 480W 24V

