Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources													
Supplier's name or trade mark: Namron Supplier's address: customer service, Nedre kalbakkvei 88B, 1081 Oslo, NO Model identifier: 89691													
							Type of light source:						
							Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		driver											
(or other electric interface)													
Mains or non-mains:		NMLS	Connected light source (CLS):	No									
Colour-tuneable light source:		No	Envelope:	-									
High luminance light source:		No											
Anti-glare shield:		No	Dimmable:	Yes									
Product parameters													
Parameter		Value	Parameter	Value									
Enorgy consur	nntion in on	General product p	Energy efficiency	G									
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		,	class	, ,									
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		220 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	73 220									
On-mode power (P _{on}), expressed in W		6,3	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,40									
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	51									
Outer dimen-	Height	3	Spectral power dis-	See image									
sions without separate con- trol gear, light- ing control	Width Depth	10 5 000	tribution in the range 250 nm to 800 nm, at full-load	in last page									

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,296			
		nates (x and y)	0,302			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	-189	Survival factor	1,00			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;

