



Thermostats, DEVIreg™ Basic Polar white, Sensor type: Floor, 16 A

**140F1164** [↗](#)

null: 4 - 45, Displaytyp: LED

**Här köper du** [↗](#)

## Specifikation/en

Kännetecken	Värde
1 Primärbatteri SUMMA vikt Kg	0.000
1 Primärbatteriets vikt kg	0.000
2-pole switch	nej
ämnen REACHs kandidatlista	Lead (CAS no. 7439-92-1), Diboron trioxide (B2O3, CAS no. 1303-86-2), Lead monoxide (PbO, CAS no. 1317-36-8)
Antal batterier	0
Applikation	Floor heating
Battery backup	nej
Beskrivning	DEVIreg Basic Polar white
Bredd [mm]	85.00 mm
CE-godkänd	Yes
Certification company	Intertek Semko, UkrTEST, EAC
Compatible frame system	ja
DG Indicator Profile	Not relevant for dangerous goods
DIN mounting	nej
Display (Ja/Nej)	Nej
Displaytyp	LED
Djup [mm]	24 mm
Element IP Class	21
Färg	RAL 9016
Föroreningsgrad	2

Kännetecken	Värde
Frost protection [°C]	5 °C
Garanti [år]	2
Godkännande	CE, UkrTEST, EAC
Höjd [mm]	85 mm
Indicator type	LED
Inductive load	cos φ= 0.3 max 1A
Innehåller batterier	No
Inom WEEE-omfattningen	Yes
Kultryckstest temperatur [°C]	75 °C
Lagringstemperatur [°C] [Max]	60 °C
Lagringstemperatur [°C] [Min]	-25 °C
Material Description	DEVIreg Basic Polar white
Matningsspänning [V] AC	230 V
Omgivande temperatur [°C] [Max]	35 °C
Omgivande temperatur [°C] [Min]	0 °C
Paket, bredd [mm]	95 mm
Paket, djup [mm]	95 mm
Paket, höjd [mm]	80 mm
Product line	21
Produktbeskrivning	DEVIreg™ Basic Polar white
Produktgrupp	Thermostats
Produkttyp	DEVIreg Basic
Programvaruklass	A
Reglertyp	PWM
Relay switch	1-pole
Resistive load max [A]	16 A
SCIP ID nr	3e069a1c-935f-4345-8c30-943c89141ca8
Sensor definition point [Ohm/°C]	15kΩ / 25°C
Standby power consumption [W] [Max]	0.20 W

Kännetecken	Värde
Strömförsörjning [V] AC [Max]	240 V
Strömförsörjning [V] AC [Min]	220 V
Temperature - floor [°C] [Max]	45 °C
Temperature - floor [°C] [Min]	4 °C
Temperature max. limiter [°C] [Max]	35 °C
Temperature max. limiter [°C] [Min]	5 °C
Temperature min. limiter [°C] [Max]	35 °C
Temperature min. limiter [°C] [Min]	4 °C
Terminal cable size max [mm <sup>2</sup> ]	2 x 2.5
Typ av givare	Floor
UL-certifiering	No
Warranty type	2-year product warranty

## Allmänna specifikationer

Kännetecken	Värde
Bruttovikt	194 Gram
Nettovikt	142 Gram
Volym	0.722 Liter
EAN/UPC	5703466252123
Proposition 65	Cancer and Reproductive Harm

**For the most current information and other product assets, please use this link to visit the product page on Danfoss Design Center [↗](#)**