

Surface-mounted two-button switch B2, 10A, 250V, IP54, WNT-2B2, white

Marka: **Orno** | Symbol: **OR-OE-7801/W** | Ean: **5904988911684**




PRODUCT DESCRIPTION

The B2 series of sockets and switches, IP54 rated, dust and moisture resistant. The series features a timeless shape and robust housing. Perfect for installation in industrial facilities and households. The switches are equipped with quick connectors, while the sockets are equipped with traditional screw connections.

The two-button switch is adapted to surface mounting. Product is used to control lighting, for example, composed of chandeliers and traditional or modern LED bulbs. It allows you to switch lighting on and off,

divided into two or more zones. It will be suitable wherever protection against dust and water splashes is required (IP54).

The product is available in three colors: white, gray and gray-black. Dimensions 77x66x51mm.

TECHNICAL DATA

General information:

| | |
|--|--------------------------|
| Wiring system: | Łącznik 2-biegunowy |
| Method of operation: | Przycisk wahadłowy |
| Assembly arrangement: | Element podstawowy |
| Number of rockers: | 2 |
| Mounting method: | Montaż natynkowy |
| Type of fastening: | Mocowanie śrubowe |
| Material: | Tworzywo sztuczne |
| Material quality: | Tworzywo termoplastyczne |
| Surface protection: | Malowanie |
| Surface finishing: | Matowy/Błyszczący |
| Colour: | Biały |
| Label space/information surface: | Nie |
| Suitable for degree of protection (IP): | IP54 |
| Nominal voltage [V]: | 250 |
| Frequency [Hz]: | 50 |
| Rated current [A]: | 10 |
| Connection type: | Wtyk samozaciskowy |
| Device width [mm]: | 66 |
| Device height [mm]: | 77 |
| Device depth [mm]: | 51 |

